


链轮 Sprocket



链轮 Sprocket


台式链轮

台式链轮 8x3.0mm
(05B)




轮齿	mm
齿半径 r3	8
半径宽 C	0.8
齿宽 B1	2.8
齿宽 b1	2.7
齿宽 B2	8.3

链条	mm
节距	8
内节内宽	3
滚子直径	5




z	de	dp	单排			双排			三排		
			dm	D1	A	dm	D2	A	dm	D3	A
8	23.4	20.90	13	6	12	12	6	18			
9	25.9	23.39	15	6	12	15	6	18			
10	28.4	25.89	17	6	12	17	8	18			
11	31.0	28.39	18	7	13	19	8	18			
12	33.7	30.91	20	7	13	21	8	18			
13	36.7	33.42	23	7	13	24	8	18			
14	39.2	35.95	25	7	13	26	8	18			
15	41.7	38.48	28	7	13	29	8	18			
16	44.2	41.01	30	8	14	32	10	20			
17	46.7	43.53	30	8	14	34	10	20			
18	49.2	46.07	30	8	14	37	10	20			
19	51.7	48.61	30	8	14	39	10	20			
20	54.2	51.14	30	8	14	40	10	20			
21	57.2	53.67	35	8	14	45	12	20			
22	59.4	56.21	35	8	14	45	12	20			
23	62.2	58.75	35	8	14	45	12	20			
24	64.7	61.29	35	8	14	45	12	20			
25	67.2	63.83	35	8	14	45	12	20			
26	69.7	66.37	40	10	16	50	12	22			
27	72.3	68.91	40	10	16	50	12	22			
28	74.7	71.45	40	10	16	50	12	22			
29	77.2	73.99	40	10	16	50	12	22			
30	80.2	76.53	40	10	16	50	12	22			
31	82.7	79.08	40	12	16	60	12	22			
32	85.2	81.61	40	12	16	60	12	22			
33	87.7	84.16	40	12	16	60	12	22			
34	90.2	86.70	40	12	16	60	12	22			
35	92.7	89.24	40	12	16	60	12	22			
36	95.2	91.79	40	12	16	60	12	22			
37	97.7	94.33	40	12	16	60	12	22			
38	100.2	96.88	40	12	16	60	12	22			
39	102.7	99.42	40	12	16	60	12	22			
40	105.2	101.97	40	12	16	60	12	22			
45	118.6	114.69	60	12	20	60	12	22			
50	131.5	127.41	60	12	20	60	12	22			
57	149.3	145.22	80	14	20	60	12	22			

台式链轮 3/8"x7/32"
(06B)



轮齿	mm
齿半径 r3	10
半径宽 C	1
齿宽 B1	5.3
齿宽 b1	5.2
齿宽 B2	15.4
齿宽 B3	25.6

链条	mm
节距	9.525
内节内宽	5.72
滚子直径	6.35




z	de	dp	单排			双排			三排		
			dm	D1	A	dm	D2	A	dm	D3	A
8	28.6	24.89	15	8	20	15	8	25	15	8	32
9	31.5	27.85	18	8	20	18	8	25	18	8	32
10	34.5	30.82	20	8	20	20	8	25	20	10	32
11	37.5	33.80	22	8	25	22	10	30	22	12	35
12	40.5	36.80	25	8	25	25	10	30	25	12	35
13	43.5	39.80	28	8	25	28	10	30	28	12	35
14	46.5	42.80	31	8	25	31	10	30	31	12	35
15	49.5	45.81	34	8	25	34	10	30	34	12	35
16	52.5	48.82	37	10	28	37	12	30	37	12	35
17	55.5	51.83	40	10	28	40	12	30	40	12	35
18	58.6	54.85	43	10	28	43	12	30	43	12	35
19	61.6	57.87	45	10	28	46	12	30	46	12	35
20	64.6	60.89	46	10	28	49	12	30	49	12	35
21	67.6	63.91	48	12	28	52	16	30	52	16	40
22	70.6	66.93	50	12	28	55	16	30	55	16	40
23	73.7	69.95	52	12	28	58	16	30	58	16	40
24	76.7	72.97	54	12	28	61	16	30	61	16	40
25	79.7	76.00	57	12	28	64	16	30	64	16	40
26	82.7	79.02	60	12	28	67	16	30	67	16	40
27	85.7	82.04	60	12	28	70	16	30	70	16	40
28	88.8	85.07	60	12	28	73	16	30	73	16	40
29	91.8	88.09	60	12	28	76	16	30	76	16	40
30	94.8	91.12	60	12	28	79	16	30	79	16	40
31	97.9	94.15	65	14	30	80	16	30	80	16	40
32	100.9	97.17	65	14	30	80	16	30	80	16	40
33	103.9	100.20	65	14	30	80	16	30	80	16	40
34	106.9	103.23	65	14	30	80	16	30	85	16	40
35	110.0	106.26	65	14	30	80	16	30	85	16	40
36	113.0	109.29	70	16	30	90	16	30	90	16	40
37	116.0	112.32	70	16	30	90	16	30	90	16	40
38	119.0	115.34	70	16	30	90	16	30	90	16	40
39	122.1	118.37	70	16	30	90	16	30	90	16	40
40	125.1	121.40	70	16	30	90	16	30	90	16	40

链轮 Sprocket


链轮 Sprocket

台式链轮

台式链轮 1/2"x1/8"
(081)




轮齿	mm
齿半径 r3	13
半径宽 C	1.3
齿宽 B1	3
链条	mm
节距	12.7
内节内宽	3.3
滚子直径	7.75




z	de	dp	单排			双排			三排		
			dm	D1	A	dm	D2	A	dm	D3	A
8	39.5	33.18	21	8	14	31	16	45	31	16	65
9	43.4	37.13	25	8	14	37	16	45	37	16	65
10	47.4	41.10	28	8	14	42	16	45	42	16	65
11	51.4	45.07	31	8	16	47	16	50	47	20	70
12	55.4	49.07	35	8	16	53	16	50	53	20	70
13	59.4	53.06	39	8	16	59	16	50	59	20	70
14	63.4	57.07	43	8	16	65	20	50	65	20	70
15	67.4	61.09	47	8	16	71	20	50	71	20	70
16	71.4	65.10	50	10	18	77	20	50	77	20	70
17	75.4	69.11	50	10	18	83	20	50	83	20	70
18	79.4	73.14	50	10	18	89	20	50	89	20	70
19	83.5	77.16	50	10	18	95	20	50	95	20	70
20	87.5	81.19	50	10	18	100	20	50	100	20	70
21	91.5	85.22	60	12	20	100	20	50	100	25	70
22	95.5	89.24	60	12	20	100	20	50	100	25	70
23	99.6	93.27	60	12	20	110	20	50	110	25	70
24	103.6	97.29	60	12	20	110	20	50	110	25	70
25	107.6	101.33	60	12	20	120	20	50	120	25	70
26	111.7	105.36	70	16	20	120	20	50	120	25	70
27	115.7	109.40	70	16	20	120	20	50	120	25	70
28	119.7	113.42	70	16	20	120	20	50	120	25	70
29	123.8	117.46	70	16	20	120	20	50	120	25	70
30	127.8	121.50	70	16	20	120	20	50	120	25	70
31	131.8	125.54	70	16	20	120	20	50	130	25	70
32	135.9	129.56	70	16	20	120	20	50	130	25	70
33	139.9	133.60	70	16	20	120	20	50	130	25	70
34	143.9	137.64	70	16	20	120	20	50	130	25	70
35	148.0	141.68	70	16	20	120	20	50	130	25	70
36	152.0	145.72	70	16	25	120	25	50	130	25	70
37	156.1	149.76	70	16	25	120	25	50	130	25	70
38	160.1	153.80	70	16	25	120	25	50	130	25	70
39	164.1	157.83	70	16	25	120	25	50	130	25	70
40	168.2	161.87	70	16	25	120	25	50	130	25	70

台式链轮 1/2"x3/16"
(083/084)



轮齿	mm
齿半径 r3	13
半径宽 C	1.3
齿宽 B1	4.5
链条	mm
节距	12.7
内节内宽	3.3
滚子直径	7.75



z	de	dp	单排			双排			三排		
			dm	D1	A	dm	D2	A	dm	D3	A
8	39.5	33.18	21	8	14	42	20	65	42	20	95
9	43.4	37.13	25	8	14	50	20	65	50	20	95
10	47.4	41.10	28	8	14	56	20	65	56	20	95
11	51.4	45.07	31	8	16	64	20	70	64	25	100
12	55.4	49.07	35	8	16	72	20	70	72	25	100
13	59.4	53.06	39	8	16	80	20	70	80	25	100
14	63.4	57.07	43	8	16	88	20	70	88	25	100
15	67.4	61.09	47	8	16	96	20	70	96	25	100
16	71.4	65.10	50	10	18	104	25	70	104	25	100
17	75.4	69.11	50	10	18	112	25	70	112	25	100
18	79.4	73.14	50	10	18	120	25	70	120	25	100
19	83.5	77.16	50	10	18	128	25	70	128	25	100
20	87.5	81.19	50	10	18	130	25	70	130	25	100
21	91.5	85.22	60	12	20	130	25	70	130	25	100
22	95.5	89.24	60	12	20	130	25	70	130	25	100
23	99.6	93.27	60	12	20	130	25	70	130	25	100
24	103.6	97.29	60	12	20	130	25	70	130	25	100
25	107.6	101.33	60	12	20	130	25	70	130	25	100
26	111.7	105.36	70	12	20	130	25	70	130	30	100
27	115.7	109.40	70	12	20	130	25	70	130	30	100
28	119.7	113.42	70	12	20	130	25	70	130	30	100
29	123.8	117.46	70	12	20	130	25	70	130	30	100
30	127.8	121.50	70	12	20	130	25	70	130	30	100
31	131.8	125.54	70	14	20	140	25	70	130	30	100
32	135.9	129.56	70	14	20	140	25	70	130	30	100
33	139.9	133.60	70	14	20	140	25	70	140	30	100
34	143.9	137.64	70	14	20	140	25	70	140	30	100
35	148.0	141.68	70	14	20	140	25	70	140	30	100
36	152.0	145.72	70	16	25	140	25	70	140	30	100
37	156.1	149.76	70	16	25	140	25	70	140	30	100
38	160.1	153.80	70	16	25	140	25	70	140	30	100
39	164.1	157.83	70	16	25	140	25	70	140	30	100
40	168.2	161.87	70	16	25	140	25	70	140	30	100


链轮 Sprocket



链轮 Sprocket


台式链轮

台式链轮 1/2"x5/16"
(08B)




轮齿	mm
齿半径 r3	13
半径宽 C	1.3
齿宽 B1	7.2
齿宽 b1	7
齿宽 B2	21
齿宽 B3	34.9

链条	mm
节距	12.7
内节内宽	7.75
滚子直径	8.51




z	de	dp	单排			双排			三排		
			dm	D1	A	dm	D2	A	dm	D3	A
8	38.0	33.18	20	10	25	20	10	32	20	10	46
9	42.0	37.13	24	10	25	24	10	32	24	12	46
10	45.9	41.10	26	10	25	28	10	32	28	12	46
11	49.9	45.07	29	10	25	32	12	35	32	16	50
12	53.9	49.07	33	10	28	35	12	35	35	16	50
13	57.9	53.06	37	10	28	38	12	35	38	16	50
14	61.9	57.07	41	10	28	42	12	35	42	16	50
15	65.9	61.09	45	10	28	46	12	35	46	16	50
16	69.9	65.10	50	12	28	50	16	38	50	16	50
17	74.0	69.11	52	12	28	54	16	38	54	16	50
18	78.0	73.14	56	12	28	58	16	38	58	16	50
19	82.0	77.16	60	12	28	62	16	38	62	16	50
20	86.0	81.19	64	12	28	66	16	38	66	16	50
21	90.1	85.22	68	14	28	70	16	40	70	16	55
22	94.1	89.24	70	14	28	70	16	40	70	16	55
23	98.1	93.27	70	14	28	70	16	40	70	16	55
24	102.1	97.29	70	14	28	75	16	40	75	16	55
25	106.2	101.33	70	14	28	80	16	40	80	16	55
26	110.2	105.36	70	16	30	85	16	40	85	20	55
27	114.2	109.40	70	16	30	85	16	40	85	20	55
28	118.3	113.42	70	16	30	90	16	40	90	20	55
29	122.3	117.46	80	16	30	95	16	40	95	20	55
30	126.3	121.50	80	16	30	100	16	40	100	20	55
31	130.4	125.54	90	16	30	100	20	40	110	20	55
32	134.4	129.56	90	16	30	100	20	40	110	20	55
33	138.4	133.60	90	16	30	100	20	40	110	20	55
34	142.5	137.64	90	16	30	100	20	40	110	20	55
35	146.5	141.68	90	16	30	100	20	40	110	20	55
36	150.6	145.72	90	16	35	100	20	40	120	25	55
37	154.6	149.76	90	16	35	100	20	40	120	25	55
38	158.6	153.80	90	16	35	100	20	40	120	25	55
39	162.7	157.83	90	16	35	100	20	40	120	25	55
40	166.7	161.87	90	16	35	100	20	40	120	25	55

台式链轮 5/8"x3/8"
(10B)



轮齿	mm
齿半径 r3	16
半径宽 C	1.6
齿宽 B1	9.1
齿宽 b1	9
齿宽 B2	25.5
齿宽 B3	42.1

链条	mm
节距	15.88
内节内宽	9.65
滚子直径	10.16




z	de	dp	单排			双排			三排		
			dm	D1	A	dm	D2	A	dm	D3	A
8	48.4	41.48	25	10	25	25	12	40	25	12	55
9	53.3	46.42	30	10	25	30	12	40	30	12	55
10	58.3	51.37	35	10	25	35	12	40	35	16	55
11	63.2	56.34	37	12	30	39	16	40	39	16	55
12	68.2	61.34	42	12	30	44	16	40	44	16	55
13	73.2	66.32	47	12	30	49	16	40	49	16	55
14	78.2	71.34	52	12	30	54	16	40	54	16	55
15	83.2	76.36	57	12	30	59	16	40	59	16	55
16	88.3	81.37	60	12	30	64	16	45	64	16	60
17	93.3	86.39	60	12	30	69	16	45	69	16	60
18	98.3	91.42	70	14	30	74	16	45	74	16	60
19	103.3	96.45	70	14	30	79	16	45	79	16	60
20	108.4	101.49	75	14	30	84	16	45	84	16	60
21	113.4	106.52	75	16	30	85	20	45	85	16	60
22	118.4	111.55	80	16	30	90	20	45	90	16	60
23	123.5	116.58	80	16	30	95	20	45	95	16	60
24	128.5	121.62	80	16	30	100	20	45	100	16	60
25	133.6	126.66	80	16	30	105	20	45	105	16	60
26	138.6	131.70	85	20	35	110	20	45	110	20	60
27	143.6	136.75	85	20	35	110	20	45	110	20	60
28	148.7	141.78	90	20	35	115	20	45	115	20	60
29	153.7	146.83	90	20	35	115	20	45	115	20	60
30	158.8	151.87	90	20	35	120	20	45	120	20	60
31	163.8	156.92	95	20	35	120	20	45	120	20	60
32	168.9	161.95	95	20	35	120	20	45	120	20	60
33	173.9	167.00	95	20	35	120	20	45	120	20	60
34	178.9	172.05	95	20	35	120	20	45	120	20	60
35	184.0	177.10	95	20	35	120	20	45	120	20	60
36	189.0	182.15	100	20	35	120	20	45	120	25	60
37	194.1	187.20	100	20	35	120	20	45	120	25	60
38	199.1	192.24	100	20	35	120	20	45	120	25	60
39	204.2	197.29	100	20	35	120	20	45	120	25	60
40	209.2	202.34	100	20	35	120	20	45	120	25	60

链轮 Sprocket

链轮 Sprocket


台式链轮

台式链轮 3/4"x7/16"
(12B)




轮齿	mm
齿半径 r3	19
半径宽 C	2
齿宽 B1	11.1
齿宽 b1	10.8
齿宽 B2	30.3
齿宽 B3	49.8

链条	mm
节距	19.05
内节内宽	11.68
滚子直径	12.07




z	de	dp	单排			双排			三排		
			dm	D1	A	dm	D2	A	dm	D3	A
8	58.0	49.78	31	12	30	31	16	45	31	16	65
9	63.9	55.70	37	12	30	37	16	45	37	16	65
10	69.8	61.64	42	12	30	42	16	45	42	16	65
11	75.8	67.61	46	16	35	47	16	50	47	20	70
12	81.8	73.60	52	16	35	53	16	50	53	20	70
13	87.8	79.59	58	16	35	59	16	50	59	20	70
14	93.8	85.60	64	16	35	65	20	50	65	20	70
15	99.8	91.63	70	16	35	71	20	50	71	20	70
16	105.8	97.65	75	16	35	77	20	50	77	20	70
17	111.9	103.67	80	16	35	83	20	50	83	20	70
18	117.9	109.71	80	16	35	89	20	50	89	20	70
19	123.9	115.75	80	16	35	95	20	50	95	20	70
20	130.0	121.78	80	16	35	100	20	50	100	20	70
21	136.0	127.82	90	20	40	100	20	50	100	25	70
22	142.0	133.86	90	20	40	100	20	50	100	25	70
23	148.1	139.90	90	20	40	110	20	50	110	25	70
24	154.1	145.94	90	20	40	110	20	50	110	25	70
25	160.2	152.00	90	20	40	120	20	50	120	25	70
26	166.2	158.04	95	20	40	120	20	50	120	25	70
27	172.3	164.09	95	20	40	120	20	50	120	25	70
28	178.3	170.13	95	20	40	120	20	50	120	25	70
29	184.4	176.19	95	20	40	120	20	50	120	25	70
30	190.4	182.25	95	20	40	120	20	50	120	25	70
31	196.5	188.31	95	20	40	120	20	50	130	25	70
32	202.5	194.35	95	20	40	120	20	50	130	25	70
33	208.6	200.40	95	20	40	120	20	50	130	25	70
34	214.6	206.46	95	20	40	120	20	50	130	25	70
35	220.7	212.52	95	20	40	120	20	50	130	25	70
36	226.8	218.58	100	25	40	120	25	50	130	25	70
37	232.8	224.64	100	25	40	120	25	50	130	25	70
38	238.9	230.69	100	25	40	120	25	50	130	25	70
39	244.9	236.75	100	25	40	120	25	50	130	25	70
40	251.0	242.81	100	25	40	120	25	50	130	25	70

台式链轮 1"x17.02mm
(16B)



轮齿	mm
齿半径 r3	26
半径宽 C	2.5
齿宽 B1	16.2
齿宽 b1	15.8
齿宽 B2	47.7
齿宽 B3	79.6

链条	mm
节距	25.4
内节内宽	17.02
滚子直径	15.88



z	de	dp	单排			双排			三排		
			dm	D1	A	dm	D2	A	dm	D3	A
8	77.9	66.37	42	16	35	42	20	65	42	20	95
9	85.8	74.27	50	16	35	50	20	65	50	20	95
10	93.8	82.19	55	16	35	56	20	65	56	20	95
11	101.7	90.14	61	16	40	64	20	70	64	25	100
12	109.7	98.14	69	16	40	72	20	70	72	25	100
13	117.7	106.12	78	16	40	80	20	70	80	25	100
14	125.7	114.15	84	16	40	88	20	70	88	25	100
15	133.7	122.17	92	16	40	96	20	70	96	25	100
16	141.8	130.20	100	20	45	104	25	70	104	25	100
17	149.8	138.22	100	20	45	112	25	70	112	25	100
18	157.8	146.28	100	20	45	120	25	70	120	25	100
19	165.9	154.38	100	20	45	128	25	70	128	25	100
20	173.9	162.38	100	20	45	130	25	70	130	25	100
21	182.0	170.43	110	20	50	130	25	70	130	25	100
22	190.1	178.48	110	20	50	130	25	70	130	25	100
23	198.1	186.53	110	20	50	130	25	70	130	25	100
24	206.2	194.59	110	20	50	130	25	70	130	25	100
25	214.2	202.66	110	20	50	130	25	70	130	25	100
26	222.3	210.72	120	20	50	130	25	70	130	30	100
27	230.4	218.79	120	20	50	130	25	70	130	30	100
28	238.4	226.85	120	20	50	130	25	70	130	30	100
29	246.5	234.92	120	20	50	130	25	70	130	30	100
30	254.6	243.00	120	20	50	130	25	70	130	30	100
31	262.6	251.08	120	25	50	140	25	70	140	30	100
32	270.7	259.13	120	25	50	140	25	70	140	30	100
33	278.8	267.21	120	25	50	140	25	70	140	30	100
34	286.9	275.28	120	25	50	140	25	70	140	30	100
35	294.9	283.36	120	25	50	140	25	70	140	30	100
36	303.0	291.44	120	25	50	140	25	70	140	30	100
37	311.1	299.51	120	25	50	140	25	70	140	30	100
38	319.2	307.59	120	25	50	140	25	70	140	30	100
39	327.2	315.67	120	25	50	140	25	70	140	30	100
40	335.3	323.73	120	25	50	140	25	70	140	30	100


链轮 Sprocket




链轮 Sprocket

台式链轮

台式链轮 1"1/4x3/4"
(20B)




轮齿	mm
齿半径 r3	32
半径宽 C	3.5
齿宽 B1	18.5
齿宽 b1	18.2
齿宽 B2	54.6
齿宽 B3	91
链条	mm
节距	31.75
内节内宽	19.56
滚子直径	19.05




z	de	dp	单排			双排			三排		
			dm	D1	A	dm	D2	A	dm	D3	A
8	96.0	82.96	53	20	40	53	20	75	53	25	110
9	106.5	92.84	63	20	40	63	20	75	63	25	110
10	117.0	102.74	70	20	40	70	20	75	70	25	110
11	127.0	112.68	77	20	45	80	25	80	80	30	115
12	137.0	122.68	88	20	45	90	25	80	90	30	115
13	147.5	132.65	98	20	45	100	25	80	100	30	115
14	157.6	142.68	108	20	45	110	25	80	110	30	115
15	167.7	152.72	118	20	45	120	25	80	120	30	115
16	177.7	162.75	120	25	50	120	25	80	120	30	115
17	187.8	172.78	120	25	50	120	30	80	120	30	115
18	197.8	182.85	120	25	50	120	30	80	120	30	115
19	207.9	192.91	120	25	50	120	30	80	120	30	115
20	217.9	202.98	120	25	50	120	30	80	140	30	115
21	228.0	213.04	140	30	55	140	30	80	140	30	115
22	238.1	223.11	140	30	55	140	30	80	140	30	115
23	248.2	233.17	140	30	55	140	30	80	140	30	115
24	258.3	243.23	140	30	55	140	30	80	140	30	115
25	268.4	253.33	140	30	55	140	30	80	150	30	115
26	278.4	263.40	150	30	55	150	30	80	150	30	115
27	288.5	273.48	150	30	55	150	30	80	150	30	115
28	298.5	283.56	150	30	55	150	30	80	150	30	115
29	308.6	293.65	150	30	55	150	30	80	150	30	115
30	318.7	303.75	150	30	55	150	30	80	150	30	115
31	328.8	313.85	150	30	55	150	30	80	150	30	115
32	338.9	323.91	150	30	55	150	30	80	150	30	115
33	349.0	334.01	150	30	55	150	30	80	150	30	115
34	359.1	344.10	150	30	55	150	30	80	150	30	115
35	369.2	354.20	150	30	55	150	30	80	150	30	115
36	379.2	364.30	150	30	55	150	30	80	150	30	115
37	389.3	374.39	150	30	55	150	30	80	150	30	115
38	399.4	384.49	150	30	55	150	30	80	150	30	115
39	409.5	394.59	150	30	55	150	30	80	150	30	115
40	419.6	404.66	150	30	55	150	30	80	150	30	115

台式链轮 1"1x2"x1"
(24B)



轮齿	mm
齿半径 r3	38
半径宽 C	4
齿宽 B1	24.1
齿宽 b1	23.6
齿宽 B2	72
齿宽 B3	120.3
链条	mm
节距	38.1
内节内宽	25.4
滚子直径	25.4



z	de	dp	单排			双排			三排		
			dm	D1	A	dm	D2	A	dm	D3	A
8	113.0	99.55	58	20	45	58	25	95	58	25	140
9	125.0	111.40	70	20	45	70	25	95	70	25	140
10	137.0	123.49	80	20	45	80	25	95	80	25	140
11	149.0	135.21	90	25	50	90	25	100	90	30	150
12	161.0	147.22	102	25	50	102	25	100	102	30	150
13	173.0	159.18	114	25	50	114	25	100	114	30	150
14	185.0	171.22	128	25	50	128	25	100	128	30	150
15	197.0	183.26	132	25	50	132	25	100	132	30	150
16	209.0	195.30	136	25	55	136	30	100	136	30	150
17	221.0	207.34	136	25	55	136	30	100	136	30	150
18	233.0	219.42	136	25	55	160	30	100	160	30	150
19	245.5	231.49	136	25	55	160	30	100	160	30	150
20	257.5	243.57	136	25	55	160	30	100	160	30	150
21	270.5	255.65	150	30	60	160	30	100	160	40	150
22	282.5	267.73	150	30	60	160	30	100	160	40	150
23	294.5	279.80	150	30	60	160	30	100	160	40	150
24	307.0	291.88	150	30	60	160	30	100	160	40	150
25	319.0	304.00	150	30	60	160	30	100	160	40	150
26	331.0	316.08	150	30	60	160	30	100	160	40	150
27	343.0	328.19	150	30	60	160	30	100	160	40	150
28	355.0	340.27	150	30	60	160	30	100	160	40	150
29	367.5	352.38	150	30	60	160	30	100	160	40	150
30	379.5	364.50	150	30	60	160	30	100	160	40	150
31	391.5	376.62	150	30	60	160	40	100	160	40	150
32	403.5	388.69	150	30	60	160	40	100	160	40	150
33	415.5	400.81	150	30	60	160	40	100	160	40	150
34	428.0	412.93	150	30	60	160	40	100	160	40	150
35	440.0	425.04	150	30	60	160	40	100	160	40	150
36	452.0	437.16	150	30	60	160	40	100	160	40	150
37	464.0	449.27	150	30	60	160	40	100	160	40	150
38	476.5	461.39	150	30	60	160	40	100	160	40	150
39	488.5	473.50	150	30	60	160	40	100	160	40	150
40	501.5	485.62	150	30	60	160	40	100	160	40	150