

链轮 Sprocket

链轮 Sprocket

片式链轮

片式链轮 8x3mm (05B)	z	de	dp	单排		
				D1	D2	D3
	8	23.4	20.90	6	6	
	9	25.9	23.39	6	6	
	10	28.4	25.89	8	8	
	11	31.0	28.39	8	8	
	12	33.7	30.91	8	8	
	13	36.7	33.42	8	8	
	14	39.2	35.95	8	8	
	15	41.7	38.48	8	8	
	16	44.2	41.01	8	10	
	17	46.7	43.53	8	10	
	18	49.2	46.07	8	10	
	19	51.7	48.61	8	10	
	20	54.2	51.14	8	10	
	21	57.2	53.67	8	10	
	22	59.4	56.21	8	10	
	23	62.2	58.75	8	10	
	24	64.7	61.29	8	10	
	25	67.2	63.83	8	10	
	26	69.7	66.37	10	12	
	27	72.3	68.91	10	12	
	28	74.7	71.45	10	12	
	29	77.2	73.99	10	12	
	30	80.2	76.53	10	12	
	31	82.2	79.08	10	12	
	32	85.2	81.61	10	12	
	33	87.7	84.16	10	12	
	34	90.2	86.70	10	12	
	35	92.7	89.24	10	12	
	36	95.2	91.79	10	12	
	37	97.7	94.33	10	12	
	38	100.2	96.88	10	12	
	39	102.7	99.42	10	12	
	40	105.2	101.97	10	12	
	41	108.4	104.51	12	14	
	42	111.0	107.05	12	14	
	43	113.5	109.60	12	14	
	44	116.1	112.14	12	14	
	45	118.6	114.69	12	14	
	46	121.2	117.23	12	14	
	47	123.7	119.77	12	14	
	48	126.4	122.32	12	14	
	49	128.9	124.86	12	14	
	50	131.5	127.41	12	14	
	51	134.0	129.95	14	16	
	52	136.6	132.49	14	16	
	53	139.1	135.04	14	16	
	54	141.7	137.59	14	16	
	55	144.2	140.13	14	16	
	56	146.8	142.68	14	16	
	57	149.3	145.22	14	16	
	58	151.9	147.77	14	16	
	59	154.5	150.31	14	16	
	60	157.1	152.85	14	16	
	62	162.2	157.95	16	20	
	64	167.3	163.04	16	20	
	65	169.8	165.58	16	20	
	66	172.4	168.13	16	20	
	68	177.5	173.22	16	20	
	70	182.6	178.31	20	20	
	72	187.7	183.41	20	20	
	75	195.3	191.04	20	20	
	76	197.9	193.59	20	20	
	78	203.0	198.68	20	20	
	80	208.1	203.77	20	20	
	85	220.8	216.50	20	20	
	90	233.6	229.23	20	20	
	95	246.3	241.96	20	20	
	100	259.1	254.68	20	20	
	110	284.6	280.15	20	20	
	114	294.8	290.33	20	20	
	120	301.1	305.61	20	20	
	125	322.8	318.34	20	20	

片式链轮 3/8"x 7/32" (06B)	z	de	dp	单排		
				D1	D2	D3
	8	28.6	24.89	6	6	6
	9	31.5	27.85	8	8	6
	10	34.5	30.82	8	8	10
	11	37.5	33.80	8	10	10
	12	40.5	36.80	8	10	10
	13	43.5	39.80	8	10	10
	14	46.5	42.80	8	10	12
	15	49.5	45.81	8	10	12
	16	52.5	48.82	10	12	12
	17	55.5	51.83	10	12	12
	18	58.5	54.85	10	12	12
	19	61.6	57.87	10	12	12
	20	64.6	60.89	10	12	12
	21	67.6	63.91	10	12	14
	22	70.6	66.93	10	12	14
	23	73.7	69.95	10	12	14
	24	76.7	72.97	10	12	14
	25	79.7	76.00	10	12	14
	26	82.7	79.02	10	12	14
	27	85.7	82.04	10	12	14
	28	88.8	85.07	10	12	14
	29	91.8	88.09	10	12	14
	30	94.8	91.12	10	12	14
	31	97.9	94.15	12	14	16
	32	100.9	97.17	12	14	16
	33	103.9	100.20	12	14	16
	34	106.9	103.23	12	14	16
	35	110.0	106.26	12	14	16
	36	113.0	109.29	12	14	16
	37	116.0	112.32	12	14	16
	38	119.0	115.34	12	14	16
	39	122.1	118.37	12	14	16
	40	125.1	121.40	12	14	16
	41	129.0	124.43	16	16	16
	42	132.1	127.46	16	16	16
	43	135.1	130.49	16	16	16
	44	138.1	133.52	16	16	16
	45	141.1	136.54	16	16	16
	46	144.2	139.58	16	16	16
	47	147.2	142.61	16	16	16
	48	150.2	145.64	16	16	16
	49	153.3	148.66	16	16	16
	50	156.3	151.69	16	16	16
	51	159.3	154.72	16	16	20
	52	162.4	157.75	16	16	20
	53	165.4	160.78	16	16	20
	54	168.4	163.82	16	16	20
	55	171.4	166.85	16	16	20
	56	174.5	169.88	16	16	20
	57	177.5	172.91	16	16	20
	58	180.5	175.93	16	16	20
	59	183.6	178.96	16	16	20
	60	186.6	181.99	16	16	20
	62	192.7	188.06	20	20	20
	64	198.7	194.12	20	20	20
	65	201.8	197.15	20	20	20
	66	204.8	200.18	20	20	25
	68	210.8	206.24	20	20	25
	70	216.9	212.30	20	20	25
	72	223.0	218.37	20	20	25
	75	232.1	227.46	20	20	25
	76	235.1	230.49	20	20	25
	78	241.2	236.55	20	20	25
	80	247.2	242.61	20	20	25
	85	262.4	257.77	20	20	25
	90	277.5	272.93	20	20	25
	95	292.7	288.08	20	20	25
	100	307.8	303.25	20	20	25
	110	338.2	333.55	20	20	25
	114	350.3	345.68	20	20	25
	120	368.5	363.86	20	20	25
	125	383.6	379.02	20	20	25

链轮 Sprocket



链轮 Sprocket

片式链轮

片式链轮 1/2"x1/8"	z	de	dp	单排		
				D1	D2	D3
(081)	8	39.5	53.18	8		
	9	43.4	57.13	8		
	10	47.4	61.10	8		
	11	51.4	65.07	8		
	12	55.4	69.04	8		
	13	59.4	73.01	8		
	14	63.4	76.98	8		
	15	67.4	80.95	8		
	16	71.4	84.92	10		
	17	75.4	88.89	10		
	18	79.4	92.86	10		
	19	83.5	96.83	10		
	20	87.5	100.80	10		
	21	91.5	104.77	10		
	22	95.5	108.74	10		
	23	99.6	112.71	10		
	24	103.6	116.68	10		
	25	107.6	120.65	10		
	26	111.7	124.62	12		
	27	115.7	128.59	12		
	28	119.7	132.56	12		
	29	123.8	136.53	12		
	30	127.8	140.50	12		
	31	131.8	144.47	12		
	32	135.9	148.44	12		
	33	139.9	152.41	12		
	34	143.9	156.38	12		
	35	148.0	160.35	12		
	36	152.0	164.32	16		
	37	156.1	168.29	16		
	38	160.1	172.26	16		
	39	164.1	176.23	16		
	40	168.2	180.20	16		
	41	172.2	184.17	16		
	42	176.2	188.14	16		
	43	180.3	192.11	16		
	44	184.3	196.08	16		
	45	188.3	200.05	16		
	46	192.3	204.02	20		
	47	196.3	207.99	20		
	48	200.3	211.96	20		
	49	204.3	215.93	20		
	50	208.3	219.90	20		
	51	212.3	223.87	20		
	52	216.3	227.84	20		
	53	220.3	231.81	20		
	54	224.3	235.78	20		
	55	228.3	239.75	20		
	56	232.3	243.72	20		
	57	236.3	247.69	20		
	58	240.3	251.66	20		
	59	244.3	255.63	20		
	60	248.3	259.60	20		
	62	256.3	267.52	20		
	64	264.3	275.44	20		
	65	268.3	279.41	20		
	66	272.3	283.38	20		
	68	280.3	291.30	25		
	70	288.3	299.22	25		
	72	296.3	307.14	25		
	75	312.3	321.06	25		
	76	316.3	325.03	25		
	78	324.3	332.95	25		
	80	328.3	336.92	25		
	85	352.3	360.84	25		
	90	376.3	384.76	25		
	95	396.3	402.68	25		
	100	416.3	420.60	25		
	110	456.3	458.52	25		
	114	472.3	470.44	25		
	120	492.3	488.36	25		
	125	512.3	506.28	25		

片式链轮 1/2"x 3/16"	z	de	dp	单排		
				D1	D2	D3
(083/084)	8	39.5	53.18	8		
	9	43.4	57.13	8		
	10	47.4	61.10	8		
	11	51.4	65.07	8		
	12	55.4	69.04	8		
	13	59.4	73.01	8		
	14	63.4	76.98	8		
	15	67.4	80.95	8		
	16	71.4	84.92	10		
	17	75.4	88.89	10		
	18	79.4	92.86	10		
	19	83.5	96.83	10		
	20	87.5	100.80	10		
	21	91.5	104.77	10		
	22	95.5	108.74	10		
	23	99.6	112.71	10		
	24	103.6	116.68	10		
	25	107.6	120.65	10		
	26	111.7	124.62	12		
	27	115.7	128.59	12		
	28	119.7	132.56	12		
	29	123.8	136.53	12		
	30	127.8	140.50	12		
	31	131.8	144.47	12		
	32	135.9	148.44	12		
	33	139.9	152.41	12		
	34	143.9	156.38	12		
	35	148.0	160.35	12		
	36	152.0	164.32	16		
	37	156.1	168.29	16		
	38	160.1	172.26	16		
	39	164.1	176.23	16		
	40	168.2	180.20	16		
	41	172.2	184.17	16		
	42	176.2	188.14	16		
	43	180.3	192.11	16		
	44	184.3	196.08	16		
	45	188.3	200.05	16		
	46	192.3	204.02	20		
	47	196.3	207.99	20		
	48	200.3	211.96	20		
	49	204.3	215.93	20		
	50	208.3	219.90	20		
	51	212.3	223.87	20		
	52	216.3	227.84	20		
	53	220.3	231.81	20		
	54	224.3	235.78	20		
	55	228.3	239.75	20		
	56	232.3	243.72	20		
	57	236.3	247.69	20		
	58	240.3	251.66	20		
	59	244.3	255.63	20		
	60	248.3	259.60	20		
	62	256.3	267.52	20		
	64	264.3	275.44	20		
	65	268.3	279.41	20		
	66	272.3	283.38	20		
	68	280.3	291.30	25		
	70	288.3	299.22	25		
	72	296.3	307.14	25		
	75	312.3	321.06	25		
	76	316.3	325.03	25		
	78	324.3	332.95	25		
	80	328.3	336.92	25		
	85	352.3	360.84	25		
	90	376.3	384.76	25		
	95	396.3	402.68	25		
	100	416.3	420.60	25		
	110	456.3	458.52	25		
	114	472.3	470.44	25		
	120	492.3	488.36	25		
	125	512.3	506.28	25		

链轮 Sprocket

链轮 Sprocket

片式链轮

片式链轮 1/2" x 5/16"	z	de	dp	单排		
				D1	D2	D3
(08B)	8	38.0	33.18	8	10	10
	9	42.0	37.13	8	10	10
	10	45.9	41.10	8	10	10
	11	49.9	45.07	10	10	12
	12	53.9	49.07	10	10	12
	13	57.9	53.06	10	10	12
	14	61.9	57.07	10	10	12
	15	65.9	61.09	10	10	12
	16	69.9	65.10	10	12	16
	17	74.0	69.11	10	12	16
	18	78.0	73.14	10	12	16
	19	82.0	77.16	10	12	16
	20	86.0	81.19	10	12	16
	21	90.1	85.22	12	16	16
	22	94.1	89.24	12	16	16
	23	98.1	93.27	12	16	16
	24	102.1	97.29	12	16	16
	25	106.2	101.33	12	16	16
	26	110.2	105.36	16	16	16
	27	114.2	109.40	16	16	16
Da Z81 h=8mm	28	118.3	113.42	16	16	16
	29	122.3	117.46	16	16	16
	30	126.3	121.50	16	16	16
	31	130.4	125.54	16	16	20
	32	134.4	129.56	16	16	20
	33	138.4	133.60	16	16	20
	34	142.5	137.64	16	16	20
	35	146.5	141.68	16	16	20
	36	150.6	145.72	16	20	20
	37	154.6	149.76	16	20	20
	38	158.6	153.80	16	20	20
	39	162.7	157.83	16	20	20
	40	166.7	161.87	16	20	20
	41	172.4	165.91	20	20	25
	42	176.5	169.95	20	20	25
	43	180.5	173.99	20	20	25
	44	184.6	178.03	20	20	25
	45	188.6	182.07	20	20	25
	46	192.6	186.10	20	20	25
	47	196.7	190.14	20	20	25
链条 mm	48	200.7	194.18	20	20	25
	49	204.8	198.22	20	20	25
	50	208.8	202.26	20	20	25
	51	212.8	206.30	20	25	25
	52	216.9	210.34	20	25	25
	53	220.9	214.37	20	25	25
	54	225.0	218.43	20	25	25
	55	229.0	222.46	20	25	25
	56	233.0	226.50	20	25	25
	57	237.1	230.54	20	25	25
	58	241.1	234.58	20	25	25
	59	245.2	238.62	20	25	25
	60	249.2	242.66	20	25	25
	62	257.3	250.75	25	25	25
	64	265.4	258.82	25	25	25
	65	269.4	262.86	25	25	25
	66	273.4	266.90	25	25	25
	68	281.5	274.99	25	25	25
	70	289.6	283.07	25	25	25
	72	297.7	291.16	25	25	25
节距 mm	75	309.8	303.27	25	25	25
	76	313.9	307.33	25	25	25
	78	321.9	315.40	25	25	25
	80	330.0	323.48	25	25	25
	85	350.2	343.69	25	25	25
	90	370.4	363.90	25	25	25
	95	390.7	384.11	25	25	25
	100	410.9	404.31	25	25	25
	110	451.3	444.74	25	25	25
	114	467.4	460.90	25	25	25
	120	491.7	485.16	25	25	25
	125	511.0	505.37	25	25	25


片式链轮 5/8"x 3/8"	z	de	dp	单排		
				D1	D2	D3
(10B)	8	48.5	41.48	10	10	12
	9	53.3	46.42	10	10	12
	10	58.3	51.37	10	10	12
	11	63.2	56.34	10	12	12
	12	68.2	61.34	10	12	12
	13	73.2	66.32	10	12	12
	14	78.2	71.34	10	12	12
	15	83.2	76.36	10	12	12
	16	88.3	81.37	12	12	16
	17	93.3	86.39	12	12	16
	18	98.3	91.42	12	12	16
	19	103.3	96.45	12	12	16
	20	108.4	101.49	12	12	16
	21	113.4	106.52	12	16	16
	22	118.4	111.55	12	16	16
	23	123.5	116.58	12	16	16
	24	128.5	121.62	12	16	16
	25	133.6	126.66	12	16	16
	26	138.6	131.70	16	16	20
	27	143.6	136.75	16	16	20
Da Z111 h=10mm	28	148.7	141.78	16	16	20
	29	153.7	146.83	16	16	20
	30	158.8	151.87	16	16	20
	31	163.8	156.92	16	20	20
	32	168.9	161.95	16	20	20
	33	173.9	167.00	16	20	20
	34	178.9	172.05	16	20	20
	35	184.0	177.10	16	20	20
	36	189.0	182.15	20	20	25
	37	194.1	187.20	20	20	25
	38	199.1	192.24	20	20	25
	39	204.2	197.29	20	20	25
	40	209.2	202.34	20	20	25
	41	215.8	207.39	20	20	25
	42	220.8	212.44	20	20	25
	43	225.9	217.49	20	20	25
	44	230.9	222.53	20	20	25
	45	236.0	227.58	20	20	25
	46	241.0	232.63	20	25	25
	47	246.1	237.68	20	25	25
链条 mm	48	251.1	242.73	20	25	25
	49	256.2	247.78	20	25	25
	50	261.2	252.82	20	25	25
	51	266.3	257.87	20	25	25
	52	271.3	262.92	20	25	25
	53	276.4	267.97	20	25	25
	54	281.4	273.03	20	25	25
	55	286.5	278.08	20	25	25
	56	291.5	283.13	25	25	25
	57	296.6	288.18	25	25	25
	58	301.6	293.23	25	25	25
	59	306.7	298.27	25	25	25
	60	311.7	303.32	25	25	25
	62	321.8	313.43	25	25	25
	64	331.9	323.53	25	25	30
	65	337.0	328.58	25	25	30
	66	342.0	333.63	25	25	25
	68	352.1	343.74	25	25	30
	70	362.2	353.84	25	25	30
	72	372.3	363.95	25	25	30
节距 mm	75	382.5	374.09	25	25	30
	76	392.5	384.16	25	25	30
	78	402.6	394.25	25	25	30
	80	412.7	404.35	25	30	30
	85	438.0	429.62	30	30	30
	90	463.3	454.88	30	30	30
	95	488.5	480.14	30	30	30
	100	513.8	505.40	30	30	30
	110	564.3	555.92	30	30	30
	114	584.5	576.13	30	30	30
	120	614.8	606.44	30	30	30
	125	640.1	631.71	30	30	30

链轮 Sprocket



链轮 Sprocket

片式链轮

片式链轮 3/4" x 7/16"		z	de	dp	单排			双	三
					D1	D2	D3		
(12B)		8	58.0	49.78	12	12	12		
		9	63.9	55.70	12	12	12		
		10	69.8	61.64	12	12	12		
		11	75.8	67.61	14	14	14		
		12	81.8	73.60	14	14	14		
		13	87.8	79.59	14	14	14		
		14	93.8	85.61	14	14	14		
		15	99.8	91.63	14	14	14		
		16	105.8	97.65	14	16	16		
		17	111.9	103.67	14	16	16		
		18	117.9	109.71	14	16	16		
		19	123.9	115.75	14	16	16		
		20	130.0	121.78	14	16	16		
		21	136.0	127.82	16	16	20		
		22	142.0	133.86	16	16	20		
		23	148.1	139.90	16	16	20		
		24	154.1	145.94	16	16	20		
		25	160.2	152.00	16	16	20		
		26	166.2	158.04	16	20	20		
27	172.3	164.09	16	20	20				
28	178.3	170.13	16	20	20				
29	184.4	176.19	16	20	20				
30	190.4	182.25	16	20	20				
31	196.5	188.31	20	20	25				
32	202.5	194.35	20	20	25				
33	208.6	200.4	20	20	25				
34	214.6	206.46	20	20	25				
35	220.7	212.52	20	20	25				
36	226.8	218.58	20	25	25				
37	232.8	224.64	20	25	25				
38	239.9	230.69	20	25	25				
39	244.9	236.75	20	25	25				
40	251.0	242.81	20	25	25				
41	258.9	248.87	25	25	25				
42	265.0	254.93	25	25	25				
43	271.1	260.98	25	25	25				
44	277.1	267.03	25	25	25				
45	283.2	273.10	25	25	25				
46	289.2	279.16	25	25	25				
47	295.3	285.21	25	25	25				
48	301.4	291.27	25	25	25				
49	307.4	297.33	25	25	25				
50	313.5	303.39	25	25	25				
51	319.5	309.45	25	25	25				
52	325.6	315.50	25	25	25				
53	331.6	321.56	25	25	25				
54	337.7	327.64	25	25	25				
55	343.8	333.70	25	25	25				
56	349.8	339.75	25	25	30				
57	355.9	345.81	25	25	30				
58	362.0	351.87	25	25	30				
59	368.0	357.93	25	25	30				
60	374.1	363.99	25	25	30				
62	386.2	376.12	25	30	30				
64	398.3	388.24	25	30	30				
65	404.4	394.29	25	30	30				
66	410.4	400.34	30	30	30				
68	422.6	412.49	30	30	30				
70	434.7	424.60	30	30	30				
72	446.8	436.74	30	30	30				
75	465.0	454.91	30	30	30				
76	471.1	460.99	30	30	30				
78	483.2	473.10	30	30	30				
80	495.3	485.22	30	30	30				
85	525.6	515.55	30	30	30				
90	555.9	545.86	30	30	30				
95	586.2	576.10	30	30	30				
100	616.6	606.47	30	30	30				
110	677.2	667.11	30	30	30				
114	701.4	691.36	30	30	30				
120	737.8	727.74	30	30	30				
125	768.1	758.05	30	30	30				

轮齿		mm
齿半径 r3	19	
半径宽C	2	
齿宽 B1	11.1	
齿宽 b1	10.8	
齿宽 B2	30.3	
齿宽 B3	49.8	

链条		mm
节距	19.05	
内节内宽	11.68	
滚子直径	12.07	

片式链轮 1"x 17.02mm		z	de	dp	单排	双	三
(16B)		8	77.9	66.37	12	16	20
		9	85.8	74.27	12	16	20
		10	93.8	82.19	12	16	20
		11	101.7	90.14	16	20	20
		12	109.7	98.14	16	20	20
		13	117.7	106.12	16	20	20
		14	125.7	114.15	16	20	20
		15	133.7	122.17	16	20	20
		16	141.8	130.20	20	20	30
		17	149.8	138.22	20	20	30
		18	157.8	146.28	20	20	30
		19	165.9	154.33	20	20	30
		20	173.9	162.38	20	20	30
		21	182.0	170.43	20	25	30
		22	190.1	178.48	20	25	30
		23	198.1	186.53	20	25	30
		24	206.2	194.59	20	25	30
		25	214.2	202.66	20	25	30
		26	222.3	210.72	20	25	30
27	230.4	218.79	20	25	30		
28	238.4	226.85	20	25	30		
29	246.5	234.92	20	25	30		
30	254.6	243.00	20	25	30		
31	262.6	251.08	25	25	30		
32	270.7	259.13	25	25	30		
33	278.7	267.21	25	25	30		
34	286.9	275.28	25	25	30		
35	294.9	283.36	25	25	30		
36	303.0	291.44	25	25	30		
37	311.1	299.51	25	25	30		
38	319.2	307.59	25	25	30		
39	327.2	315.67	25	25	30		
40	335.3	323.73	25	25	30		
41	345.6	331.82	25	25	30		
42	353.7	339.90	25	25	30		
43	361.7	347.98	25	25	30		
44	369.8	356.06	25	25	30		
45	377.9	364.12	25	25	30		
46	386.0	372.21	25	30	30		
47	394.1	380.29	25	30	30		
48	402.1	388.36	25	30	30		
49	410.2	396.44	25	30	30		
50	418.3	404.52	25	30	30		
51	426.4	412.60	30	30	40		
52	434.5	420.67	30	30	40		
53	442.5	428.75	30	30	40		
54	450.6	436.85	30	30	40		
55	458.7	444.93	30	30	40		
56	466.8	453.01	30	30	40		
57	474.9	461.07	30	30	40		
58	482.9	469.16	30	30	40		
59	491.0	477.24	30	30	40		
60	499.1	485.32	30	30	40		
62	515.3	501.50	30	30	40		
64	531.4	517.65	30	30	40		
65	539.5	525.73	30	30	40		
66	547.6	533.80	30	30	40		
68	563.8	549.98	30	30	40		
70	579.9	566.14	30	30	40		
72	596.1	582.32	30	30	40		
75	620.3	606.55	30	30	40		
76	628.4	614.65	30	30	40		
78	644.6	630.80	30	30	40		
80	660.7	646.96	30	30	40		
85	701.2	687.40	30	30	40		
90	741.6	727.81	30	30	40		
95	782.0	768.22	30	30	40		
100	822.4	808.63	30	30	40		
110	903.3	889.48	30	30	40		
114	935.6	921.81	30	40	40		
120	984.1	970.33	30	40	40		
125	1024.5	1010.73	30	40	40		





轮齿		mm
齿半径 r3	26	
半径宽 C	2.5	
齿宽 B1	16.2	
齿宽 b1	15.8	
齿宽 B2	47.7	
齿宽 B3	79.6	

链条		mm
节距	25.5	
内节内宽	17.02	
滚子直径	15.88	





链轮 Sprocket

链轮 Sprocket

片式链轮



片式链轮 1"1/4x3/4"	
(20B)	
	
轮齿	mm
齿半径 r_3	32
半径宽C	3.5
齿宽 B_1	18.5
齿宽 b_1	18.2
齿宽 B_2	54.6
齿宽 B_3	91
链条	mm
节距	31.75
内节内宽	19.56
滚子直径	19.05
	
	
	

z	de	dp	单 D ₁	双 D ₂	三 D ₃
8	96.0	82.98	16	20	20
9	106.5	92.84	16	20	20
10	117.0	102.74	16	20	20
11	127.0	112.68	16	20	20
12	137.0	122.68	20	20	20
13	147.5	132.65	20	20	20
14	157.6	142.68	20	20	20
15	167.6	152.72	20	20	20
16	177.7	162.75	25	25	25
17	187.8	172.78	25	25	25
18	197.8	182.85	25	25	25
19	207.9	192.91	25	25	25
20	217.9	202.98	25	25	25
21	228.0	213.04	25	25	25
22	238.1	223.11	25	25	25
23	248.2	233.17	25	25	25
24	258.3	243.23	25	25	25
25	268.4	253.33	25	25	25
26	278.4	263.40	25	25	25
27	288.5	273.48	25	25	25
28	298.5	283.56	25	25	30
29	308.6	293.56	25	25	30
30	318.7	303.75	25	25	30
31	328.8	313.85	25	30	30
32	338.9	323.91	25	30	30
33	349.0	334.01	25	30	30
34	359.1	344.10	25	30	30
35	369.2	354.20	25	30	30
36	379.2	364.30	25	30	30
37	389.3	374.39	25	30	40
38	399.4	384.49	25	30	40
39	409.5	394.59	25	30	40
40	419.6	404.66	25	30	40
41	430.7	414.78	30	30	40
42	440.8	424.88	30	30	40
43	450.9	434.97	30	30	40
44	461.0	445.07	30	30	40
45	471.1	455.17	30	30	40
46	481.2	465.26	30	30	40
47	491.3	475.36	30	30	40
48	501.4	485.46	30	30	40
49	511.5	495.55	30	30	40
50	521.6	505.65	30	30	40
51	531.7	515.75	30	30	40
52	541.8	525.84	30	30	40
53	551.9	535.94	30	30	40
54	562.0	546.07	30	30	40
55	572.1	556.16	30	30	40
56	582.2	566.26	30	30	40
57	592.3	576.36	30	30	40
58	602.4	586.45	30	30	40
59	612.5	596.55	30	30	40
60	622.6	606.65	30	30	40
62	642.8	626.87	30	30	40
64	663.0	647.06	30	30	40
65	673.1	657.16	30	30	40
66	683.2	667.26	30	30	40
68	703.4	687.48	30	30	40
70	723.6	707.67	30	30	40
72	743.8	727.90	30	30	40
75	774.2	758.19	30	30	40
76	784.3	768.32	30	30	40
80	824.7	808.32	30	30	40
85	875.2	859.25	30	30	40
90	925.7	909.75	30	30	40
95	976.2	960.28	30	30	40
100	1026.7	1010.79	30	40	40
114	1168.2	1152.26	30	40	40


片式链轮 1"1/2x2/1"	
(24B)	
	
轮齿	mm
齿半径 r_3	38
半径宽C	4
齿宽 B_1	24.1
齿宽 b_1	23.6
齿宽 B_2	72
齿宽 B_3	120.3
链条	mm
节距	38.1
内节内宽	25.4
滚子直径	25.4
	
	
	

z	de	dp	单 D ₁	双 D ₂	三 D ₃
8	113.0	99.55	20	25	25
9	125.0	111.40	20	25	25
10	137.0	123.29	20	25	25
11	149.0	135.21	20	25	25
12	161.0	147.22	20	25	25
13	173.0	159.18	20	25	25
14	185.0	171.22	20	25	25
15	197.0	183.26	20	25	25
16	209.0	195.30	25	25	25
17	221.0	207.34	25	25	25
18	233.0	219.42	25	25	25
19	245.5	231.49	25	25	25
20	257.5	243.57	25	25	25
21	270.5	255.65	25	25	30
22	282.5	267.73	25	25	30
23	294.5	279.80	25	25	30
24	307.0	291.88	25	25	30
25	319.0	304.00	25	25	30
26	331.0	316.08	30	30	30
27	343.0	328.19	30	30	30
28	355.0	340.27	30	30	30
29	367.5	352.38	30	30	30
30	379.5	364.50	30	30	40
31	391.5	376.62	30	30	40
32	403.5	388.69	30	30	40
33	415.5	400.81	30	30	40
34	428.0	412.93	30	30	40
35	440.0	425.04	30	30	40
36	452.0	437.16	30	30	40
37	464.0	449.27	30	30	40
38	476.5	461.39	30	30	40
39	488.5	473.50	30	30	40
40	501.5	485.62	30	30	40
41	513.5	497.74	30	30	40
42	525.5	509.85	30	30	40
43	538.0	521.97	30	30	40
44	550.0	534.08	30	30	40
45	562.0	546.20	30	30	40
46	574.0	558.32	30	30	40
47	586.5	570.43	30	30	40
48	598.5	582.55	30	30	40
49	610.5	594.66	30	30	40
50	622.5	606.78	30	30	40
51	635.0	618.89	30	30	40
52	647.0	631.01	30	30	40
53	659.0	643.13	30	30	40
54	671.0	655.25	30	30	40
55	683.5	667.40	30	30	40
56	695.5	679.50	30	30	40
57	707.5	691.63	30	30	40
58	719.5	703.74	30	30	40
59	731.5	715.86	30	30	40
60	745.0	727.97	30	30	40
62	769.0	752.24	40	40	40
64	793.5	776.48	40	40	40
65	805.5	788.59	40	40	40
66	817.5	800.71	40	40	40
68	842.0	824.98	40	40	40
70	866.0	849.21	40	40	40
72	890.5	873.48	40	40	40
75	926.5	909.83	40	40	40
76	939.0	921.98	40	40	40
80	987.5	970.44	40	40	40
85	1048.0	1031.10	40	40	40
90	1169.0	1152.33	40	40	40


链轮 Sprocket



1



2



6

片式链轮 8X3.0mm (05B)	
轮齿	mm
齿半径r3	8
半径宽C	0.8
齿宽B1	2.8
齿宽b1	2.7
齿宽B2	8.3
齿宽B3	
链条	mm
节距	8
内节内宽	3
滚子直径	5

Z	de	dp
18	49.2	46.07
19	51.7	48.61
20	54.2	51.14
21	57.2	53.67
22	59.4	56.21
23	62.2	58.75
24	64.7	61.29
25	67.2	63.83
26	69.7	66.37
27	72.3	68.91
28	74.7	71.45
29	77.2	73.99
30	80.2	76.53
31	82.7	79.08
32	85.2	81.61
33	87.7	84.16
34	90.2	86.7
35	92.7	89.24
36	95.2	91.79
37	97.7	94.33
38	100.2	96.88
39	102.7	99.42
40	105.2	101.97
45	118.6	114.69
50	131.5	127.41
57	149.3	145.22

[illegible][illegible]