







锥套式皮带轮 TB Pulley Bush

皮带轮(锥套式皮带轮) Pulley (TB Pulley Bush)

SPA




皮带轮型号 SIZE	DP (mm)	OD (mm)	锥套型号 BUSH No.	图例 TYBE	相关尺寸 DIMENSIONS (mm)			
					F	L	R	P
SPA 80 X 1	80	85.6	1210	4	20	25		5
SPA 80 X 2	80	85.6	1210	5	35	25	10	
SPA 80 X 3	80	85.6	1210	5	50	25	25	
SPA 80 X 4	80	85.6	1215	5	65	38	27	
SPA 85 X 1	85	90.6	1210	4	20	25		5
SPA 85 X 2	85	90.6	1210	5	35	25	10	
SPA 85 X 3	85	90.6	1210	5	50	25	25	
SPA 85 X 4	85	90.6	1215	5	65	38	27	
SPA 90 X 1	90	95.6	1210	4	20	25		5
SPA 90 X 2	90	95.6	1610	5	35	25	10	
SPA 90 X 3	90	95.6	1610	5	50	25	25	
SPA 90 X 4	90	95.6	1615	5	65	38	27	
SPA 90 X 5	90	95.6	1615	5	80	38	42	
SPA 95 X 1	95	100.6	1210	4	20	25		5
SPA 95 X 2	95	100.6	1610	5	35	25	10	
SPA 95 X 3	95	100.6	1610	5	50	25	25	
SPA 95 X 4	95	100.6	1615	5	65	38	27	
SPA 95 X 5	95	100.6	1615	5	80	38	42	
SPA 100 X 1	100	105.6	1610	4	20	25		5
SPA 100 X 2	100	105.6	1610	5	35	25	10	
SPA 100 X 3	100	105.6	1610	6	50	25	25	
SPA 100 X 4	100	105.6	1615	6	65	38	27	
SPA 100 X 5	100	105.6	1615	6	80	38	42	
SPA 100 X 6	100	105.6	1610	7	95	25	35	
SPA 106 X 1	106	111.6	1610	4	20	25		5
SPA 106 X 2	106	111.6	1610	5	35	25	10	
SPA 106 X 3	106	111.6	1610	6	50	25	25	
SPA 106 X 4	106	111.6	2012	5	65	32	33	
SPA 106 X 5	106	111.6	2012	5	80	32	48	
SPA 106 X 6	106	111.6	2012	5	95	32	63	
SPA 112 X 1	112	117.6	1610	4	20	25		5
SPA 112 X 2	112	117.6	1610	5	35	25	10	
SPA 112 X 3	112	117.6	2012	5	50	32	18	
SPA 112 X 4	112	117.6	2012	5	65	32	33	
SPA 112 X 5	112	117.6	2012	5	80	32	48	
SPA 112 X 6	112	117.6	2012	5	95	32	63	
SPA 118 X 1	118	123.6	1610	4	20	25		5
SPA 118 X 2	118	123.6	1610	5	35	25	10	
SPA 118 X 3	118	123.6	2012	6	50	32	18	
SPA 118 X 4	118	123.6	2012	6	65	32	33	
SPA 118 X 5	118	123.6	2012	6	80	32	48	
SPA 118 X 6	118	123.6	2012	5	95	32	63	

锥套式皮带轮 TB Pulley Bush

皮带轮(锥套式皮带轮) Pulley (TB Pulley Bush)

SPA




皮带轮型号 SIZE	DP (mm)	OD (mm)	锥套型号 BUSH No.	图例 TYPE	相关尺寸 DIMENSIONS (mm)			
					F	L	R	p
SPA 125 X 1	125	130.6	1610	4	20	25		5
SPA 125 X 2	125	130.6	1610	5	35	25	10.0	
SPA 125 X 3	125	130.6	2012	6	50	32	18.0	
SPA 125 X 4	125	130.6	2012	6	65	32	33.0	
SPA 125 X 5	125	130.6	2012	7	80	32	24.0	
SPA 125 X 6	125	130.6	2012	7	95	32	31.5	
SPA 132 X 1	132	137.6	1610	4	20	25		5
SPA 132 X 2	132	137.6	2012	5	35	32	3.0	
SPA 132 X 3	132	137.6	2012	6	50	32	18.0	
SPA 132 X 4	132	137.6	2517	6	65	45	20.0	
SPA 132 X 5	132	137.6	2517	7	80	45	17.5	
SPA 132 X 6	132	137.6	2517	7	95	45	25.0	
SPA 140 X 1	140	145.6	1610	4	20	25		5
SPA 140 X 2	140	145.6	2012	5	35	32	3.0	
SPA 140 X 3	140	145.6	2517	5	50	45	5.0	
SPA 140 X 4	140	145.6	2517	6	65	45	20.0	
SPA 140 X 5	140	145.6	2517	7	80	45	17.5	
SPA 140 X 6	140	145.6	2517	7	95	45	25.0	
SPA 150 X 1	150	155.6	1610	8	20	25		5
SPA 150 X 2	150	155.6	2012	5	35	32	3.0	
SPA 150 X 3	150	155.6	2517	5	50	45	5.0	
SPA 150 X 4	150	155.6	2517	6	65	45	20.0	
SPA 150 X 5	150	155.6	2517	7	80	45	17.5	
SPA 150 X 6	150	155.6	2517	7	95	45	25.0	
SPA 160 X 1	160	165.6	1610	8	20	25		5
SPA 160 X 2	160	165.6	2012	5	35	32	3.0	
SPA 160 X 3	160	165.6	2517	5	50	45	5.0	
SPA 160 X 4	160	165.6	2517	6	65	45	20.0	
SPA 160 X 5	160	165.6	2517	7	80	45	17.5	
SPA 160 X 6	160	165.6	2517	7	95	45	25.0	



锥套式皮带轮 TB Pulley Bush

皮带轮(锥套式皮带轮) Pulley (TB Pulley Bush)

SPA




皮带轮型号 SIZE	DP (mm)	OD (mm)	锥套型号 BUSH No.	图例 TYPE	相关尺寸 DIMENSIONS (mm)			
					F	L	R	P
SPA 170 X 1	170	175.6	1610	8	20	25		5
SPA 170 X 2	170	175.6	2012	15-1	35	32	3.0	
SPA 170 X 3	170	175.6	2517	5	50	45	5.0	
SPA 170 X 4	170	175.6	2517	6	65	45	20.0	
SPA 170 X 5	170	175.6	2517	7	80	45	17.5	
SPA 170 X 6	170	175.6	2517	7	95	45	25.0	
SPA 180 X 1	180	185.6	1610	8	20	25		5
SPA 180 X 2	180	185.6	2012	9	35	32	1.5	
SPA 180 X 3	180	185.6	2517	5	50	45	5.0	
SPA 180 X 4	180	185.6	2517	6	65	45	20.0	
SPA 180 X 5	180	185.6	3020	7	80	51	14.5	
SPA 180 X 6	180	185.6	3020	7	95	51	22.0	
SPA 190 X 1	180	195.6	1610	8	20	25		5
SPA 190 X 2	190	195.6	2012	15	35	32	3.0	
SPA 190 X 3	190	195.6	2517	5	50	45	5.0	
SPA 190 X 4	190	195.6	2517	6	65	45	20.0	
SPA 190 X 5	190	195.6	3020	6	80	51	29.0	
SPA 190 X 6	190	195.6	3020	7	95	51	22.0	
SPA 200 X 1	200	205.6	2012	8	20	32		12
SPA 200 X 2	200	205.6	2517	10	35	45		5
SPA 200 X 3	200	205.6	2517	9	50	45	2.5	
SPA 200 X 4	200	205.6	3020	6	65	51	14.0	
SPA 200 X 5	200	205.6	3020	7	80	51	14.5	
SPA 200 X 6	200	205.6	3020	7	95	51	22.0	
SPA 212 X 1	212	217.6	2012	8	20	32		12
SPA 212 X 2	212	217.6	2517	8	35	45		10
SPA 212 X 3	212	217.6	2517	9	50	45	2.5	
SPA 212 X 4	212	217.6	3020	6	65	51	14.0	
SPA 212 X 5	212	217.6	3020	6	80	51	29.0	
SPA 212 X 6	212	217.6	3020	7	95	51	22.0	

锥套式皮带轮 TB Pulley Bush

皮带轮(锥套式皮带轮) Pulley (TB Pulley Bush)

SPA




皮带轮型号 SIZE	DP (mm)	OD (mm)	锥套型号 BUSH No.	图例 TYPE	相关尺寸 DIMENSIONS (mm)			
					F	L	R	P
SPA 224 X 1	224	229.6	2012	13	20	32		12.0
SPA 224 X 2	224	229.6	2517	13	35	45		10.0
SPA 224 X 3	224	229.6	2517	12	50	45	2.5	
SPA 224 X 4	224	229.6	3020	6	65	51	14.0	
SPA 224 X 5	224	229.6	3020	6	80	51	29.0	
SPA 224 X 6	224	229.6	3020	7	95	51	22.0	
SPA 236 X 1	236	241.6	2012	13	20	32		12.0
SPA 236 X 2	236	241.6	2517	13	35	45		10.0
SPA 236 X 3	236	241.6	2517	12	50	45	2.5	
SPA 236 X 4	236	241.6	3020	9	65	51	7.0	
SPA 236 X 5	236	241.6	3020	9	80	51	14.5	
SPA 236 X 6	236	241.6	3020	9	95	51	22.0	
SPA 250 X 1	250	255.6	2012	11	20	32		6.0
SPA 250 X 2	250	255.6	2517	11	35	45		5.0
SPA 250 X 3	250	255.6	2517	12	50	45	2.5	
SPA 250 X 4	250	255.6	3020	9	65	51	7.0	
SPA 250 X 5	250	255.6	3020	9	80	51	14.5	
SPA 250 X 6	250	255.6	3020	9	95	51	22.0	
SPA 265 X 4	265	270.6	3020	9	65	51	7.0	
SPA 265 X 5	265	270.6	3020	9	80	51	14.5	
SPA 265 X 6	265	270.6	3535	7	95	89	3.0	
SPA 280 X 1	280	285.6	2012	13	20	32		12.0
SPA 280 X 2	280	285.6	2517	13	35	45		10.0
SPA 280 X 3	280	285.6	2517	12	50	45	2.5	
SPA 280 X 4	280	285.6	3020	12	65	51	7.0	
SPA 280 X 5	280	285.6	3535	10	80	89		4.5
SPA 280 X 6	280	285.6	3535	9	95	89	3.0	
SPA 300 X 1	300	305.6	2012	13	20	32		12.0
SPA 300 X 2	300	305.6	2517	13	35	45		10.0
SPA 300 X 3	300	305.6	3020	13	50	51		1.0
SPA 300 X 4	300	305.6	3020	12	65	51	7.0	
SPA 300 X 5	300	305.6	3535	8	80	89		9.0
SPA 300 X 6	300	305.6	3535	9	95	89	3.0	



锥套式皮带轮 TB Pulley Bush

皮带轮(锥套式皮带轮) Pulley (TB Pulley Bush)

SPA




皮带轮型号 SIZE	DP (mm)	OD (mm)	锥套型号 BUSH No.	图例 TYPE	相关尺寸 DIMENSIONS (mm)			
					F	L	R	P
SPA 315 X 1	315	320.6	2012	13	20	32		12.0
SPA 315 X 2	315	320.6	2517	13	35	45		10.0
SPA 315 X 3	315	320.6	3020	11	50	51		0.5
SPA 315 X 4	315	320.6	3020	12	65	51	7	
SPA 315 X 5	315	320.6	3535	10	80	89		4.5
SPA 315 X 6	315	320.6	3535	9	95	89	3	
SPA 335 X 1	335	340.6	2517	11	20	45		12.5
SPA 335 X 2	335	340.6	2517	11	35	45		5.0
SPA 335 X 3	335	340.6	3020	11	50	51		0.5
SPA 335 X 4	335	340.6	3020	12	65	51	7	
SPA 355 X 1	355	360.6	2012	13	20	32		12.0
SPA 355 X 2	355	360.6	2517	13	35	45		10.0
SPA 355 X 3	355	360.6	3020	11	50	51		0.5
SPA 355 X 4	355	360.6	3020	12	65	51	7	
SPA 355 X 5	355	360.6	3525	11	80	89		4.5
SPA 355 X 6	355	360.6	3535	12	95	89	3	
SPA 375 X 1 -G	375	380.6	2012	11	20	32		6.0
SPA 375 X 2 -G	375	380.6	2517	11	35	45		5.0
SPA 375 X 3 -G	375	380.6	3020	11	50	51		0.5
SPA 375 X 4	375	380.6	3020	12	65	51	7	
SPA 375 X 5	375	380.6	3535	11	80	89		4.5
SPA 400 X 1	400	405.6	2012	13	20	32		12.0
SPA 400 X 2	400	405.6	2517	13	35	45		10.0
SPA 400 X 3	400	405.6	3020	13	50	51		1.0
SPA 400 X 4	400	405.6	3020	12	65	51	7	
SPA 400 X 5	400	405.6	3535	11	80	89		4.5
SPA 400 X 6	400	405.6	3535	12	95	89	3	
SPA 425 X 1 -G	425	430.6	2517	11	20	45		12.5
SPA 425 X 2 -G	425	430.6	2517	11	35	45		5.0
SPA 425 X 3	425	430.6	3020	13	50	51		1.0
SPA 425 X 4	425	430.6	3020	12	65	51	7	
SPA 450 X 1	450	455.6	2012	13	20	32		12.0
SPA 450 X 2	450	455.6	2517	13	35	45		10.0
SPA 450 X 3	450	455.6	3020	13	50	51		1.0
SPA 450 X 4	450	455.6	3020	12	65	51	7	
SPA 450 X 5	450	455.6	3535	11	80	89		4.5
SPA 450 X 6	450	455.6	3535	12	95	89	3	

锥套式皮带轮 TB Pulley Bush

皮带轮(锥套式皮带轮) Pulley (TB Pulley Bush)

SPA



皮带轮型号 SIZE	DP (mm)	OD (mm)	锥套型号 BUSH No.	图例 TYPE	相关尺寸 DIMENSIONS (mm)			
					F	L	R	P
SPA 500 X 1	500	505.6	2517	13	20	45		25.0
SPA 500 X 2	500	505.6	2517	13	35	45		10.0
SPA 500 X 3	500	505.6	3020	13	50	51		1.0
SPA 500 X 4	500	505.6	3020	12	65	51	7	
SPA 500 X 5	500	505.6	3535	11	80	89		4.5
SPA 500 X 6	500	505.6	3535	12	95	89	3	
SPA 560 X 2	560	565.6	3020	13	35	51		16.0
SPA 560 X 3	560	565.6	3020	13	50	51		1.0
SPA 560 X 4	560	565.6	3535	11	65	89		12.0
SPA 560 X 5	560	565.6	3535	11	80	89		4.5
SPA 560 X 6	560	565.6	3535	12	95	89	3	
SPA 630 X 1	630	635.6	2517	11	20	45		12.5
SPA 630 X 2	630	635.6	3020	11	35	51		8.0
SPA 630 X 3	630	635.6	3020	13	50	51		1.0
SPA 630 X 4	630	635.6	3535	11	65	89		12.0
SPA 630 X 5	630	635.6	3535	11	80	89		4.5
SPA 630 X 6	630	635.6	4040	11	95	102		3.5
SPA 800 X 2	800	805.6	3535	11	35	89		27.0
SPA 800 X 3	800	805.6	3535	11	50	89		19.5
SPA 800 X 4	800	805.6	3535	11	65	89		12.0
SPA 800 X 5	800	805.6	4040	11	80	102		11.0
SPA 800 X 6	800	805.6	4040	11	95	102		3.5
SPA 900 X 3	900	905.6	3535	11	50	89		19.5
SPA 900 X 4	900	905.6	3535	11	65	89		12.0
SPA 900 X 5	900	905.6	4040	11	80	102		11.0
SPA 900 X 6	900	905.6	4040	11	95	102		3.5
SPA 1000 X 3	1000	1005.6	3535	11	50	89		19.5
SPA 1000 X 4	1000	1005.6	4040	11	65	102		18.5
SPA 1000 X 5	1000	1005.6	4545	11	80	114		17.0
SPA 1000 X 6	1000	1005.6	4545	11	95	114		9.5