


锥套式皮带轮 TB Pulley Bush

皮带轮(锥套式皮带轮) Pulley (TB Pulley Bush)

SPC



皮带轮型号 SIZE	DP (mm)	OD (mm)	锥套型号 BUSH No.	图例 TYPE	相关尺寸 DIMENSIONS (mm)			
					F	L	R	P
SPC 200 X 3	200	209.6	2517	7	85.0	45	20.0	
SPC 200 X 4	200	209.6	3020	7	110.6	51	29.8	
SPC 200 X 5	200	209.6	3535	7	136.0	89	23.5	
SPC 200 X 6	200	209.6	3535	7	161.6	89	36.3	
SPC 200 X 8	200	209.6	3535	7	212.6	89	61.8	
SPC 212 X 3	212	221.6	3020	7	85.0	51	17.0	
SPC 212 X 4	212	221.6	3020	7	110.5	51	29.8	
SPC 212 X 5	212	221.6	3535	7	136.0	89	23.5	
SPC 212 X 6	212	221.6	3535	7	161.5	89	36.3	
SPC 212 X 8	212	221.6	3535	7	212.5	89	61.8	
SPC 224 X 3	224	233.6	3020	7	85.0	51	17.0	
SPC 224 X 4	224	233.6	3535	7	110.5	89	10.8	
SPC 224 X 5	224	233.6	3535	7	136.0	89	23.5	
SPC 224 X 6	224	233.6	3535	7	161.5	89	36.3	
SPC 224 X 8	224	233.6	3535	7	212.5	89	61.8	
SPC 224 X 10	224	233.6	4040	7	263.5	102	80.8	
SPC 236 X 3	236	245.6	3020	7	85.0	51	17.0	
SPC 236 X 4	236	245.6	3535	7	110.5	89	10.8	
SPC 236 X 5	236	245.6	3535	7	136.0	89	23.5	
SPC 236 X 6	236	245.6	3535	7	161.5	89	36.3	
SPC 236 X 8	236	245.6	3535	7	212.5	89	61.8	
SPC 236 X 10	236	245.6	4040	7	263.5	102	80.8	





锥套式皮带轮

TB Pulley Bush

皮带轮(锥套式皮带轮) Pulley (TB Pulley Bush)

SPC






皮带轮型号 SIZE	DP (mm)	OD (mm)	锥套型号 BUSH No.	图例 TYPE	相关尺寸 DIMENSIONS (mm)			
					F	L	R	P
SPC 250 X 3	250	259.6	3020	7	85.0	51	17.0	
SPC 250 X 4	250	259.6	3535	7	110.5	89	10.8	
SPC 250 X 5	250	259.6	3535	7	136.0	89	23.5	
SPC 250 X 6	250	259.6	3535	7	161.5	89	36.3	
SPC 250 X 8	250	259.6	3535	7	212.5	89	61.8	
SPC 250 X 10	250	259.6	4040	7	263.5	102	80.8	
SPC 265 X 3	265	274.6	3535	4	85.0	89		4
SPC 265 X 4	265	274.6	3535	7	110.5	89	10.8	
SPC 265 X 5	265	274.6	3535	7	136.0	89	23.5	
SPC 265 X 6	265	274.6	3535	7	161.5	89	36.3	
SPC 265 X 8	265	274.6	3535	7	212.5	89	61.8	
SPC 265 X 10	265	274.6	4040	7	263.5	102	80.8	
SPC 280 X 3	280	289.6	3535	8	85.0	89		4
SPC 280 X 4	280	289.6	3535	9	110.5	89	10.8	
SPC 280 X 5	280	289.6	3535	9	136.0	89	23.5	
SPC 280 X 6	280	289.6	3535	7	161.5	89	36.3	
SPC 280 X 8	280	289.6	3535	7	212.5	89	61.8	
SPC 280 X 10	280	289.6	4040	7	263.5	102	80.8	

锥套式皮带轮 TB Pulley Bush

皮带轮(锥套式皮带轮) Pulley (TB Pulley Bush)

SPC




皮带轮型号 SIZE	DP (mm)	OD (mm)	锥套型号 BUSH No.	图例 TYPE	相关尺寸 DIMENSIONS (mm)			
					F	L	R	P
SPC 300 X 3	300	309.6	3535	10	85.0	89		2
SPC 300 X 4	300	309.6	3535	9	110.5	89	10.8	
SPC 300 X 5	300	309.6	3535	9	136.0	89	23.5	
SPC 300 X 6	300	309.6	3535	9	161.5	89	36.3	
SPC 300 X 8	300	309.6	4040	7	212.5	102	55.3	
SPC 300 X 10	300	309.6	4545	7	263.5	114	74.8	
SPC 315 X 3	315	324.6	3535	10	85.0	89		2
SPC 315 X 4	315	324.6	3535	9	110.5	89	10.8	
SPC 315 X 5	315	324.6	3535	9	136.0	89	23.5	
SPC 315 X 6	315	324.6	3535	9	161.5	89	36.3	
SPC 315 X 8	315	324.6	4040	7	212.5	102	55.3	
SPC 315 X 10	315	324.6	4545	7	263.5	114	74.8	
SPC 335 X 3	335	344.6	3535	11	85.0	89		2
SPC 335 X 4	335	344.6	3535	12	110.5	89	10.8	
SPC 335 X 5	335	344.6	3535	9	136.0	89	23.5	
SPC 335 X 6	335	344.6	3535	9	161.5	89	36.3	
SPC 335 X 8	335	344.6	4040	9	212.5	102	55.3	
SPC 335 X 10	335	344.6	4545	7	263.5	114	74.8	
SPC 355 X 3	355	364.6	3535	11	85.0	89		2
SPC 355 X 4	355	364.6	3535	12	110.5	89	10.8	
SPC 355 X 5	355	364.6	3535	12	136.0	89	23.5	
SPC 355 X 6	355	364.6	3535	9	161.5	89	36.3	
SPC 355 X 8	355	364.6	4040	9	212.5	102	55.3	
SPC 355 X 10	355	364.6	4545	7	263.5	102	80.8	



锥套式皮带轮 TB Pulley Bush

皮带轮(锥套式皮带轮) Pulley (TB Pulley Bush)

SPC






皮带轮型号 SIZE	DP (mm)	OD (mm)	锥套型号 BUSH No.	图例 TYPE	相关尺寸 DIMENSIONS (mm)			
					F	L	R	P
SPC 375 X 3	375	384.6	3535	11	85.0	89		2
SPC 375 X 4	375	384.6	3535	12	110.5	89	10.8	
SPC 375 X 5	375	384.6	3535	12	136.0	89	23.5	
SPC 375 X 6	375	384.6	4040	9	161.5	102	29.8	
SPC 375 X 8	375	384.6	4545	9	212.5	114	49.3	
SPC 375 X 10	375	384.6	4545	9	263.5	114	74.8	
SPC 400 X 3	400	409.6	3535	11	85.0	89		2
SPC 400 X 4	400	409.6	3535	12	110.5	89	10.8	
SPC 400 X 5	400	409.6	3535	12	136.0	89	23.5	
SPC 400 X 6	400	409.6	4040	9	161.5	102	29.8	
SPC 400 X 8	400	409.6	4545	9	212.5	114	49.3	
SPC 400 X 10	400	409.6	5050	9	263.5	127	68.3	
SPC 425 X 3	425	434.6	3535	11	85.0	89		2
SPC 425 X 4	425	434.6	3535	12	110.5	89	10.8	
SPC 425 X 5	425	434.6	3535	12	136.0	89	23.5	
SPC 425 X 6	425	434.6	4040	9	161.5	102	29.8	
SPC 425 X 8	425	434.6	4545	9	212.5	114	49.3	
SPC 450 X 3	450	459.6	3535	11	85.0	89		2
SPC 450 X 4	450	459.6	3535	12	110.5	89	10.8	
SPC 450 X 5	450	459.6	4040	12	136.0	102	17.0	
SPC 450 X 6	450	459.6	4545	9	161.5	114	23.8	
SPC 450 X 8	450	459.6	5050	9	212.5	127	42.8	
SPC 450 X 10	450	459.6	5050	9	263.5	127	68.3	

锥套式皮带轮 TB Pulley Bush

皮带轮(锥套式皮带轮) Pulley (TB Pulley Bush)

SPC



皮带轮型号 SIZE	DP (mm)	OD (mm)	锥套型号 BUSH No.	图例 TYPE	相关尺寸 DIMENSIONS(mm)			
					F	L	R	P
SPC 475 X 3	475	484.6	3535	11	85.0	89		2
SPC 475 X 4	475	484.6	3535	12	110.5	89	10.8	
SPC 475 X 5	475	484.6	4040	12	136.0	102	17.0	
SPC 475 X 6	475	484.6	4545	9	161.5	114	23.8	
SPC 475 X 8	475	484.6	5050	9	212.5	127	42.8	
SPC 475 X 10	475	484.6	5050	9	263.5	127	68.3	
SPC 500 X 3	500	509.6	3535	11	85.0	89		2
SPC 500 X 4	500	509.6	3535	12	110.5	89	10.8	
SPC 500 X 5	500	509.6	4040	12	136.0	102	17.0	
SPC 500 X 6	500	509.6	4545	12	161.5	114	23.8	
SPC 500 X 8	500	509.6	5050	9	212.5	127	42.8	
SPC 500 X 10	500	509.6	5050	9	263.5	127	68.3	
SPC 530 X 3	530	539.6	3535	11	85.0	89		2
SPC 530 X 4	530	539.6	4040	12	110.5	102	4.3	
SPC 530 X 5	530	539.6	4545	12	136.0	114	11.0	
SPC 530 X 6	530	539.6	5050	12	161.5	127	17.3	
SPC 530 X 8	530	539.6	5050	9	212.5	127	42.8	
SPC 530 X 10	530	539.6	5050	9	263.5	127	68.3	
SPC 560 X 3	560	569.6	3535	11	85.0	89		2
SPC 560 X 4	560	569.6	4040	12	110.5	102	4.3	
SPC 560 X 5	560	569.6	4545	12	136.0	114	11.0	
SPC 560 X 6	560	569.6	5050	12	161.5	127	17.3	
SPC 560 X 8	560	569.6	5050	12	212.5	127	42.8	
SPC 560 X 10	560	569.6	5050	12	263.5	127	68.3	



锥套式皮带轮 TB Pulley Bush

皮带轮(锥套式皮带轮) Pulley (TB Pulley Bush)

SPC

皮带轮型号 SIZE	DP (mm)	OD (mm)	锥套型号 BUSH No.	图例 TYPE	相关尺寸 DIMENSIONS(mm)			
					F	L	R	P
SPC 630 X 3	630	639.6	4040	11	85.0	102		8.5
SPC 630 X 4	630	639.6	4545	11	110.5	114		1.8
SPC 630 X 5	630	639.6	5050	12	136.0	127	4.5	
SPC 630 X 6	630	639.6	5050	12	161.5	114	17.3	
SPC 630 X 8	630	639.6	5050	12	212.5	127	42.8	
SPC 630 X 10	630	639.6	5050	12	263.5	127	68.3	
SPC 710 X 3	710	719.6	4040	11	85.0	102		8.5
SPC 710 X 4	710	719.6	4040	12	110.5	102	4.3	
SPC 710 X 5	710	719.6	5050	12	136.0	127	4.5	
SPC 710 X 6	710	719.6	5050	12	161.5	127	17.3	
SPC 710 X 8	710	719.6	5050	12	212.5	127	42.8	
SPC 710 X 10	710	719.6	5050	12	263.5	127	68.3	
SPC 800 X 3	800	809.6	4545	11	85.0	114		14.5
SPC 800 X 4	800	809.6	5050	11	110.5	127		8.3
SPC 800 X 5	800	809.6	5050	12	136.0	127	4.5	
SPC 800 X 6	800	809.6	5050	12	161.5	127	17.3	
SPC 800 X 8	800	809.6	5050	12	212.5	127	42.8	
SPC 800 X 10	800	809.6	5050	12	263.5	127	68.3	
SPC 1000 X 3	1000	1009.6	5050	11	85.0	127		21.0
SPC 1000 X 4	1000	1009.6	5050	11	110.5	127		8.3
SPC 1000 X 5	1000	1009.6	5050	12	136.0	127	4.5	
SPC 1000 X 6	1000	1009.6	5050	12	161.5	127	17.3	
SPC 1000 X 8	1000	1009.6	5050	12	212.5	127	42.8	
SPC 1000 X 10	1000	1009.6	5050	12	263.5	127	68.3	
SPC 1250 X 5	1250	1259.6	5050	12	136.0	127	4.5	
SPC 1250 X 6	1250	1259.6	5050	12	161.5	127	17.3	
SPC 1250 X 8	1250	1259.6	5050	12	212.5	127	42.8	

NOTE: QUALITY STANDARD: DIN 2211 ~ 1984

注意：质量标准：DIN 2211 ~ 1984